



A-Shape LED

10A19/LED/950/FR/P/ND 4/1FB

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.


Product data

| General information | | Power Factor (Nom) | | 0.5 |
|---------------------------------------|------------------------------------|---------------------------------|--|-----------------------------|
| Base | E26 [Single Contact Medium Screw] | Voltage (Nom) | | 120 V |
| EU RoHS compliant | Yes | Temperature | | |
| Nominal Lifetime (Nom) | 11000 h | T-Case Maximum (Nom) | | 203 °F |
| Switching Cycle | 50000 | Controls and dimming | | |
| Light technical | | Dimmable | | No |
| Color Code | 950 [CCT of 5000K] | Mechanical and housing | | |
| Beam Angle (Nom) | 150 ° | Bulb Finish | | Frosted |
| Initial lumen (Nom) | 1000 lm | Bulb Material | | Plastic |
| Color Designation | Daylight | Bulb Shape | | A19 (A19) |
| Correlated Color Temperature (Nom) | 5000 K | Approval and application | | |
| Luminous Efficacy (rated) (Nom) | 100.00 lm/W | Energy Certifications | | No |
| Color Consistency | <6 | Product data | | |
| Color Rendering Index (Nom) | 90 | Order product name | | 10A19/LED/950/FR/P/ND 4/1FB |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % | EAN/UPC - Product | | 046677565169 |
| Operating and electrical | | Order code | | 565168 |
| Input Frequency | 60 Hz | Numerator - Quantity Per Pack | | 1 |
| Power (Rated) (Nom) | 10 W | Numerator - Packs per outer box | | 4 |
| Lamp Current (Nom) | 146 mA | Material Nr. (12NC) | | 929003005304 |
| Wattage Equivalent | 75 W | | | |
| Starting Time (Nom) | 0.5 s | | | |
| Warm Up Time to 60% Light (Nom) | 0.5 s | | | |

A-Shape LED

Net Weight (Piece) 0.132 lb


Dimensional drawing




10A19/LED/950/FR/P/ND 4/1FB

| Product | D | C |
|-----------------------------|----------|-----------|
| 10A19/LED/950/FR/P/ND 4/1FB | 2-3/8 in | 4-3/16 in |


Photometric data



LEDbulb G6 10W A19 E26 950 FR-POC



LEDbulb G6 A19 10W E26 950 FR-LDD





General Uniform Lighting

LEDbulb G6 10W A19 E26 950 FR-GUL

A-Shape LED

Lifetime



Lumen Maintenance Diagram

Life Expectancy Diagram

