



CorePro Plastic (Dimmable) A-Shape Lamps

14A19/COR/927/FR/P/E26/DIM/T20 6/1CT

Dimmable A-shape lamps that offer over 25,000 hours lifetime. Title 20 listed lamps that can be sold in California and ideal for commercial spaces nationwide.

Product data

General Information		Lamp Current (Nom)	
Cap-Base	E26		140 mA
Nominal lifetime	25,000 hour(s)	Wattage Equivalent	100 W
Switching Cycle	50,000	Starting Time (Nom)	0.5 s
Lighting Technology	LED	Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.7
		Voltage (Nom)	120 V
Light Technical		Temperature	
Color Code	927 [CCT of 2700K]	T-Case Maximum (Nom)	212 °F
Beam Angle (Nom)	200 degree(s)		
Luminous Flux	1,500 lm	Controls and Dimming	
Color Designation	Warm White (WW)	Dimmable	Only with specific dimmers
Correlated Color Temperature (Nom)	2700 K		
Luminous Efficacy (rated) (Nom)	107 lm/W	Mechanical and Housing	
Color Consistency	<4	Bulb Finish	Frosted
Color rendering index (CRI)	90	Bulb Material	Plastic
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Shape	A19
Operating and Electrical		UL Wet/ damp/ dry location	Damp location
Input Frequency	60 Hz	Net Weight (Piece)	0.106 lb
Power Consumption	14 W		

CorePro Plastic (Dimmable) A-Shape Lamps

Approval and Application

EU RoHS compliant	Yes
T20 compliant	Yes
Ambient temperature range	-4 to +113 °F

Application Conditions


can it be used in closed luminaires	No
-------------------------------------	----

Product Data

Order product name	14A19/COR/927/FR/P/E26/DIM/T20 6/1CT
--------------------	--------------------------------------



Full product name	14A19/COR/927/FR/P/E26/DIM/T20 6/1CT
Order code	588681
Material Nr. (12NC)	929003784604
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677588687
Numerator - Packs per outer box	6
EAN/UPC - Case	50046677588682

Dimensional drawing



Product	D	C
14A19/COR/927/FR/P/E26/DIM/T20 6/1CT	2-3/8 inch	4-5/8 inch

Photometric data




General uniform lighting - 14A19/COR/927/FR/P/E26/DIM/T20 6/1CT

Light Distribution Diagram - 14A19/COR/927/FR/P/E26/DIM/T20 6/1CT


CorePro Plastic (Dimmable) A-Shape Lamps

Photometric data




Spectral Power Distribution Colour - 14A19/COR/927/FR/P/E26/DIM/T20 6/1CT

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - 14A19/COR/927/FR/P/E26/DIM/T20 6/1CT

