



CorePro Plastic (Dimmable) A-Shape Lamps

14A19/COR/930/FR/P/E26/DIM/T20 6/1CT

Dimmable A-shape lamps that offer over 25,000 hours lifetime. Title 20 listed lamps that can be sold in California and ideal for commercial spaces nationwide.

Product data

General Information		Lamp Current (Nom)	
Cap-Base	E26		140 mA
Nominal lifetime	25,000 hour(s)	Wattage Equivalent	100 W
Switching Cycle	50,000	Starting Time (Nom)	0.5 s
Lighting Technology	LED	Warm-up time to 60% light	0.5 s
		Power Factor (Fraction)	0.7
		Voltage (Nom)	120 V
Light Technical		Temperature	
Color Code	930 [CCT of 3000K]	Ambient temperature range	-4 to +113 °F
Beam Angle (Nom)	200 degree(s)	T-Case Maximum (Nom)	212 °F
Luminous Flux	1,500 lm		
Color Designation	White (WH)	Controls and Dimming	
Luminous Efficacy (rated) (Nom)	107 lm/W	Dimmable	Only with specific dimmers
Correlated Color Temperature (Nom)	3000 K		
Color Consistency	<4	Mechanical and Housing	
Color rendering index (CRI)	90	Bulb Finish	Frosted
LLMF At End Of Nominal Lifetime (Nom)	70 %	Bulb Material	Plastic
		Bulb Shape	A19
Operating and Electrical		UL Wet/ damp/ dry location	Damp location
Input Frequency	60 Hz		
Power Consumption	14 W		

CorePro Plastic (Dimmable) A-Shape Lamps

Approval and Application

EU RoHS compliant	Yes
T20 compliant	Yes

Application Conditions


can it be used in closed luminaires	No
-------------------------------------	----

Product Data

Order product name	14A19/COR/930/FR/P/E26/DIM/T20 6/1CT
Full product name	14A19/COR/930/FR/P/E26/DIM/T20 6/1CT


Order code	588673
Material Nr. (12NC)	929003784704
Numerator - Quantity Per Pack	1
Net Weight (Piece)	0.106 lb
EAN/UPC - Product/Case	046677588670
Numerator - Packs per outer box	6
EAN/UPC - Case	50046677588675

Dimensional drawing




Product	D	C
14A19/COR/930/FR/P/E26/DIM/T20 6/1CT	2-3/8 inch	4-5/8 inch

Photometric data




Light Distribution Diagram - 14A19/COR/930/FR/P/E26/DIM/T20 6/1CT



Spectral Power Distribution Colour - 14A19/COR/930/FR/P/E26/DIM/T20 6/1CT

CorePro Plastic (Dimmable) A-Shape Lamps

Photometric data



General Uniform Lighting - Philips Lighting B.V. Page 1/1

General uniform lighting - 14A19/COR/930/FR/P/E26/DIM/T20 6/1CT

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - 14A19/COR/930/FR/P/E26/DIM/T20 6/1CT

