

LED Glass HID lamps

34GC/LED/830 EX39 BB 6/1

Philips Glass HID lamps offer you an easy, short-payback LED solution to replace High Intensity Discharge (HID) lamps. Thanks to our High-Power LED filament technology, this new generation of indoor/outdoor glass lamps brings all the energy-efficiency and long-lifetime benefits of LED to HID replacement, while providing instant savings with a low initial investment. They are designed to have the same aesthetics, lamp size and light distribution as the HID lamps they are replacing, so the upgrade to LED is easier than ever!

Product data

General Information	
Cap-Base	EX39 [Exclusionary Mogul Screw]
Nominal lifetime	50,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	300 degree(s)
Luminous Flux	5,400 lm
Color Designation	White (WH)
Luminous Efficacy (rated) (Nom)	158 lm/W
Correlated Color Temperature (Nom)	3000 K
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Input Frequency	50 to 60 Hz

Power Consumption	34 W
Lamp Current (Max)	352 A
Lamp Current (Nom)	120 277 mA A
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.9
Voltage (Nom)	120-277 V
UL Type	HIB_UL Type B (UL Listed+Classified)
Temperature	
Ambient temperature range	-4 to +113 °F
T-Case Maximum (Nom)	133 °F
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Clear
Bulb Shape	ED28

LED Glass HID lamps

Approval and Application

Approval Marks	DLC compliance
EU RoHS compliant	Yes

Application Conditions


can it be used in closed luminaires	Yes
-------------------------------------	-----

Product Data

Order product name	34GC/LED/830 EX39 BB 6/1
Full product name	34GC/LED/830 EX39 BB 6/1



Order code	588194
Material Nr. (12NC)	929003773004
Numerator - Quantity Per Pack	1
Net Weight (Piece)	0.43 lb
EAN/UPC - Product/Case	046677588199
Numerator - Packs per outer box	6
EAN/UPC - Case	50046677588194

Dimensional drawing



Product	D	C
34GC/LED/830 EX39 BB 6/1	3-5/8 inch	8-1/2 inch

Photometric data




General uniform lighting - 34GC/LED/830 EX39 BB 6/1

Light Distribution Diagram - 34GC/LED/830 EX39 BB 6/1


LED Glass HID lamps

Photometric data



Spectral Power Distribution Colour - 34GC/LED/830 EX39 BB 6/1

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - 34GC/LED/830 EX39 BB 6/1

