



Accent with higher performance LED retrofits

MR16/GU10/PAR16

Philips MR16 Dimmable LED Lamps provide ambient level light to illuminate hard to maintain applications. Increased transformer compatibility allows for operation on a wider range of transformers. Available in dimmable and non-dimmable versions, these lamps are ideal for track and open recessed fixtures in retail, hospitality and residential spaces.

Benefits

- Long life properties-- lowers maintenance costs by reducing re-lamp frequency
- Will not fade colors, avoids inventory spoilage
- Contains no mercury
- Emits virtually no UV/IR light in the beam
- 3-year or 5-year limited warranty depending upon operating hours

Features

- Available in dimmable* and non-dimmable versions
- Provides quality white light and a crisp, uniform beam
- 7W and 7W HO MRX16s are suitable for use in many enclosed fixtures
- 40,000-hour rated average life⁺ for 7W MRX16
- Instant-on light
- ^{*} Dimmable when using leading edge dimmers (see Philips Website: www.philips.com/ledtechguide for compatible leading edge dimmers.)
- ⁺Rated average life based on engineering testing and probability analysis.

Application

- Ideal for accent and ambient lighting in retail and hospitality spaces.

MR16/GU10/PAR16

Versions



GU5.3 MR16



GU5.3 MR16



GU5.3 MR16



GU5.3 MR16



LEDSpot GU5.3 MR16



E26 PAR16



GU10 PAR16



GU5.3 MR16

MR16/GU10/PAR16

Versions



GU5.3 MR16



GU5.3 MR16





GU5.3 MR16



Single Contact Medium Screw PAR
2 inch

Dimensional drawing






Product	D	C
8PAR16/LED/830/F25/DIM/G/120V 6/3FB	51 mm	55 mm

Product	D	C
7MR16/LED/S15/827/DIM AF2 10/1	51 mm	51 mm
7MR16/LED/S15/840/DIM AF2 10/1	51 mm	51 mm
7MR16/LED/F35/830/DIM AF2 10/1	51 mm	51 mm
7MR16/LED/F25/840/DIM AF2 10/1	51 mm	51 mm
7MR16/LED/F35/840/DIM AF2 10/1	51 mm	51 mm
7MR16/LED/F35/827/DIM AF2 10/1	51 mm	51 mm
7MR16/LED/F25/830/DIM AF2 10/1	51 mm	51 mm
7MR16/LED/F25/827/DIM AF2 10/1	51 mm	51 mm
BC7MR16/AMB/F35/3000 DIM 12V	51 mm	51 mm

MR16/GU10/PAR16

Dimensional drawing



Product	D	C
6.5MR16/F35/2700-2200 DIM 12V	51 mm	50 mm
6.5MR16/F25/2700-2200 DIM 12V	51 mm	50 mm
6.4MR16/F25/3000 DIM 12V	51 mm	51 mm
6.4MR16/F35/3000 DIM 12V	51 mm	51 mm



Product	D	C
8.5MRX16/F25 3000 DIM AF 10/1	51 mm	55 mm
8.5MRX16/F35 2700 DIM AF 10/1	51 mm	55 mm

Product	D	C
6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	50.5 mm	46 mm
6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	50.5 mm	46 mm
6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	50.5 mm	46 mm
6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	50.5 mm	46 mm
8.5MR16/LED/830/F35/DIM 12V 10/1FB	50.5 mm	46.5 mm
8.5MR16/LED/827/F35/DIM 12V 10/1FB	50.5 mm	46.5 mm
8.5MR16/LED/840/F35/DIM 12V 10/1FB	50.5 mm	46.5 mm
7.3MR16/LED/827/F35/DIM 12V 10/1FB	50.5 mm	46.5 mm
7.3MR16/LED/830/F35/DIM 12V 10/1FB	50.5 mm	46.5 mm
8.5MR16/LED/840/F25/DIM 12V 10/1FB	50.5 mm	46.5 mm
7.3MR16/LED/827/F25/DIM 12V 10/1FB	50.5 mm	46.5 mm
8.5MR16/LED/827/F25/DIM 12V 10/1FB	50.5 mm	46.5 mm
8.5MR16/LED/830/F25/DIM 12V 10/1FB	50.5 mm	46.5 mm
7.3MR16/LED/830/F25/DIM 12V 10/1FB	50.5 mm	46.5 mm
7MR16 ExpertColor F25 930 D 10/1	51 mm	46 mm
7MR16 ExpertColor Retail F25 930 10/1	51 mm	46 mm
7MR16 ExpertColor Retail S10 930 10/1	51 mm	46 mm
7MR16 ExpertColor Retail F35 930 10/1	51 mm	46 mm
7MR16 ExpertColor F25 940 D 10/1	51 mm	46 mm
7MR16 ExpertColor F35 940 D 10/1	51 mm	46 mm
7MR16 ExpertColor F35 927 D 10/1	51 mm	46 mm
7MR16 ExpertColor F25 927 D 10/1	51 mm	46 mm
7MR16 ExpertColor F35 930 D 10/1	51 mm	46 mm
7MR16 ExpertColor S10 930 D 10/1	51 mm	46 mm
7MR16 ExpertColor S10 940 D 10/1	51 mm	46 mm
7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	51 mm	46 mm

MR16/GU10/PAR16

Dimensional drawing

Product	D	C
7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	51 mm	46 mm
7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	51 mm	46 mm
7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	51 mm	46 mm
7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	51 mm	46 mm
7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	51 mm	46 mm
7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	51 mm	46 mm
7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	51 mm	46 mm
7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	51 mm	46 mm



Product	D	C
4.5GU10/LEDCLA/F35/830/DIM 10/1	50 mm	53 mm

Product	D	C
AmbientLED PAR16 7W 35D 830 D	50 mm	70 mm

General Information

Switching Cycle 50000X

Light Technical

Llmf At End Of Nominal Lifetime (Nom) 70 %

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001127804	6.5MR16/F25/2700-2200 DIM 12V	- kWh	Not applicable
929001127904	6.5MR16/F35/2700-2200 DIM 12V	7 kWh	Not applicable

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	- kWh	Not applicable
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	9 kWh	Not applicable

MR16/GU10/PAR16

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001151834	6.4MR16/F25/3000 DIM 12V	-	Not applicable
929001152234	6.4MR16/F35/3000 DIM 12V	-	Not applicable
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	8 kWh	Not applicable
929001152734	7MR16/LED/S15/840/DIM AF2 10/1	8 kWh	Not applicable
929001152834	7MR16/LED/F25/827/DIM AF2 10/1	8 kWh	Not applicable
929001152934	7MR16/LED/F25/830/DIM AF2 10/1	8 kWh	Not applicable
929001153034	7MR16/LED/F25/840/DIM AF2 10/1	8 kWh	Not applicable
929001153134	7MR16/LED/F35/827/DIM AF2 10/1	8 kWh	Not applicable
929001153234	7MR16/LED/F35/830/DIM AF2 10/1	8 kWh	Not applicable
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	8 kWh	Not applicable
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	-	-
929001245403	AmbientLED PAR16 7W 35D 830 D	7 kWh	Not applicable
929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	-	Not applicable
929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	-	-
929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	-	-
929001341804	7MR16 ExpertColor S10 930 D 10/1	-	-
929001341904	7MR16 ExpertColor S10 940 D 10/1	-	-
929001342604	7MR16 ExpertColor Retail S10 930 10/1	-	-
929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	-	-
929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	-	-
929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	-	-
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	-	-
929001872504	7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	-	-
929001872604	7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	-	-
929001872704	7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	-	-

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy Efficiency Label (EEL)
929001872804	7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	-	-
929001872904	7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	-	-
929001873004	7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	-	-
929001873104	7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	-	-
929001873204	7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	-	-
929001873304	7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	-	-
929001342004	7MR16 ExpertColor F25 927 D 10/1	-	-
929001342104	7MR16 ExpertColor F25 930 D 10/1	-	-
929001342204	7MR16 ExpertColor F25 940 D 10/1	-	-
929001342304	7MR16 ExpertColor F35 927 D 10/1	-	-
929001342404	7MR16 ExpertColor F35 930 D 10/1	-	-
929001342504	7MR16 ExpertColor F35 940 D 10/1	-	-
929001342704	7MR16 ExpertColor Retail F25 930 10/1	-	-
929001342804	7MR16 ExpertColor Retail F35 930 10/1	-	-
929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	-	-
929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	-	-
929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	-	-
929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	-	-
929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	-	-
929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	-	-
929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	-	-
929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	-	-
929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	-	-
929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	-	-
929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	-	-

Controls and Dimming

MR16/GU10/PAR16

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
929001127804	6.5MR16/F25/2700-2200 DIM 12V	Yes	929001872604	7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	Yes
929001127904	6.5MR16/F35/2700-2200 DIM 12V	Yes	929001872704	7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	Yes
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	Yes	929001872804	7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	Yes
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	Yes	929001872904	7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	Yes
929001151834	6.4MR16/F25/3000 DIM 12V	Yes	929001873004	7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	Yes
929001152234	6.4MR16/F35/3000 DIM 12V	Yes	929001873104	7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	Yes
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	Yes	929001873204	7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	Yes
929001152734	7MR16/LED/S15/840/DIM AF2 10/1	Yes	929001873304	7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	Yes
929001152834	7MR16/LED/F25/827/DIM AF2 10/1	Yes	929001342004	7MR16 ExpertColor F25 927 D 10/1	Yes
929001152934	7MR16/LED/F25/830/DIM AF2 10/1	Yes	929001342104	7MR16 ExpertColor F25 930 D 10/1	Yes
929001153034	7MR16/LED/F25/840/DIM AF2 10/1	Yes	929001342204	7MR16 ExpertColor F25 940 D 10/1	Yes
929001153134	7MR16/LED/F35/827/DIM AF2 10/1	Yes	929001342304	7MR16 ExpertColor F35 927 D 10/1	Yes
929001153234	7MR16/LED/F35/830/DIM AF2 10/1	Yes	929001342404	7MR16 ExpertColor F35 930 D 10/1	Yes
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	Yes	929001342504	7MR16 ExpertColor F35 940 D 10/1	Yes
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	Yes	929001342704	7MR16 ExpertColor Retail F25 930 10/1	No
929001245403	AmbientLED PAR16 7W 35D 830 D	Yes	929001342804	7MR16 ExpertColor Retail F35 930 10/1	No
929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	Yes	929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	Yes
929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	Yes	929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	Yes
929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	Yes	929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	Yes
929001341804	7MR16 ExpertColor S10 930 D 10/1	Yes	929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	Yes
929001341904	7MR16 ExpertColor S10 940 D 10/1	Yes	929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	Yes
929001342604	7MR16 ExpertColor Retail S10 930 10/1	No	929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	Yes
929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	Yes	929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	Yes
929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	Yes	929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	Yes
929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	Yes	929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	Yes
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	Yes	929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	Yes
929001872504	7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	Yes	929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	Yes

Operating and Electrical

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Wattage Equivalent	Power (Rated) (Nom)	Starting Time (Nom)
929001127804	6.5MR16/F25/2700-2200 DIM 12V	50 to 60 Hz	12 V	35 W	6.5 W	0.5 s
929001127904	6.5MR16/F35/2700-2200 DIM 12V	50 to 60 Hz	12 V	35 W	6.5 W	0.5 s
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	60 Hz	12 V	50 W	8.5 W	0.5 s
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	60 Hz	12 V	50 W	8.5 W	0.5 s
929001151834	6.4MR16/F25/3000 DIM 12V	-	12 V	35 W	6.4 W	0.5 s
929001152234	6.4MR16/F35/3000 DIM 12V	-	12 V	35 W	6.4 W	0.6 s
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	-	12 V	35 W	7 W	0.5 s
929001152734	7MR16/LED/S15/840/DIM AF2 10/1	-	12 V	35 W	7 W	0.5 s
929001152834	7MR16/LED/F25/827/DIM AF2 10/1	-	12 V	50 W	7 W	0.5 s
929001152934	7MR16/LED/F25/830/DIM AF2 10/1	-	12 V	50 W	7 W	0.5 s
929001153034	7MR16/LED/F25/840/DIM AF2 10/1	-	12 V	50 W	7 W	0.5 s
929001153134	7MR16/LED/F35/827/DIM AF2 10/1	-	12 V	50 W	7 W	0.5 s
929001153234	7MR16/LED/F35/830/DIM AF2 10/1	-	12 V	50 W	7 W	0.5 s
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	-	12 V	50 W	7 W	0.5 s
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	-	12 V	50 W	7 W	0.5 s
929001245403	AmbientLED PAR16 7W 35D 830 D	60 Hz	120 V	50 W	7 W	0.5 s
929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	60 Hz	120 V	50 W	4.5 W	0.5 s
929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	50 to 60 Hz	120 V	50 W	4 W	0.5 s
929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	50 to 60 Hz	120 V	50 W	4 W	0.5 s
929001341804	7MR16 ExpertColor S10 930 D 10/1	-	12 V	30 W	7 W	0.5 s
929001341904	7MR16 ExpertColor S10 940 D 10/1	-	12 V	30 W	7 W	0.5 s

MR16/GU10/PAR16

Order Code	Full Product Name	Input Frequency	Voltage (Nom)	Wattage Equivalent	Power (Rated) (Nom)	Starting Time (Nom)
929001342604	7MR16 ExpertColor Retail S10 930 10/1	-	12 V	30 W	7 W	0.5 s
929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	-	ac electronic 12 V	42 W	6.5 W	0.5 s
929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	-	ac electronic 12 V	42 W	6.5 W	0.5 s
929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	-	ac electronic 12 V	42 W	6.5 W	0.5 s
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	-	ac electronic 12 V	42 W	6.5 W	0.5 s
929001872504	7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	-	ac electronic 12 V	35 W	7.8 W	0.5 s
929001872604	7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	-	ac electronic 12 V	35 W	7.8 W	0.5 s
929001872704	7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	-	ac electronic 12 V	35 W	7.8 W	0.5 s
929001872804	7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	-	ac electronic 12 V	50 W	7.8 W	0.5 s
929001872904	7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	-	ac electronic 12 V	50 W	7.8 W	0.5 s
929001873004	7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	-	ac electronic 12 V	50 W	7.8 W	0.5 s
929001873104	7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	-	ac electronic 12 V	50 W	7.8 W	0.5 s
929001873204	7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	-	ac electronic 12 V	50 W	7.8 W	0.5 s
929001873304	7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	-	ac electronic 12 V	50 W	7.8 W	0.5 s
929001342004	7MR16 ExpertColor F25 927 D 10/1	-	12 V	42 W	7 W	0.5 s
929001342104	7MR16 ExpertColor F25 930 D 10/1	-	12 V	42 W	7 W	0.5 s
929001342204	7MR16 ExpertColor F25 940 D 10/1	-	12 V	42 W	7 W	0.5 s
929001342304	7MR16 ExpertColor F35 927 D 10/1	-	12 V	42 W	7 W	0.5 s
929001342404	7MR16 ExpertColor F35 930 D 10/1	-	12 V	42 W	7 W	0.5 s
929001342504	7MR16 ExpertColor F35 940 D 10/1	-	12 V	42 W	7 W	0.5 s
929001342704	7MR16 ExpertColor Retail F25 930 10/1	-	12 V	42 W	7 W	0.5 s
929001342804	7MR16 ExpertColor Retail F35 930 10/1	-	12 V	42 W	7 W	0.5 s
929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	-	ac electronic 12 V	50 W	7.3 W	0.5 s
929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	-	ac electronic 12 V	50 W	7.3 W	0.5 s
929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	-	ac electronic 12 V	50 W	7.3 W	0.5 s
929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	-	ac electronic 12 V	50 W	7.3 W	0.5 s
929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	-	ac electronic 12 V	75 W	8.5 W	0.5 s
929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	-	ac electronic 12 V	75 W	8.5 W	0.5 s
929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	-	ac electronic 12 V	75 W	8.5 W	0.5 s
929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	-	ac electronic 12 V	75 W	8.5 W	0.5 s
929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	-	ac electronic 12 V	75 W	8.5 W	0.5 s
929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	-	ac electronic 12 V	75 W	8.5 W	0.5 s
929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	60 Hz	120 V	60 W	8 W	0.5 s

General Information

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)	Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001127804	6.5MR16/F25/2700-2200 DIM 12V	GU5.3	25000 h	25000 h	929001152734	7MR16/LED/S15/840/DIM AF2 10/1	GU5.3	40000 h	40000 h
929001127904	6.5MR16/F35/2700-2200 DIM 12V	GU5.3	25000 h	25000 h	929001152834	7MR16/LED/F25/827/DIM AF2 10/1	GU5.3	25000 h	25000 h
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	GU5.3	25000 h	25000 h	929001152934	7MR16/LED/F25/830/DIM AF2 10/1	GU5.3	25000 h	25000 h
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	GU5.3	25000 h	25000 h	929001153034	7MR16/LED/F25/840/DIM AF2 10/1	GU5.3	25000 h	25000 h
929001151834	6.4MR16/F25/3000 DIM 12V	GU5.3	25000 h	25000 h	929001153134	7MR16/LED/F35/827/DIM AF2 10/1	GU5.3	25000 h	25000 h
929001152234	6.4MR16/F35/3000 DIM 12V	GU5.3	25000 h	25000 h	929001153234	7MR16/LED/F35/830/DIM AF2 10/1	GU5.3	25000 h	25000 h
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	GU5.3	40000 h	40000 h					

MR16/GU10/PAR16

Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)	Order Code	Full Product Name	Cap-Base	Nominal Lifetime (Nom)	Rated Lifetime (Hours)
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	GU5.3	25000 h	25000 h	929001873304	7.8MR16/PER/940/F35/Dim/E C/12V 10/1FB	GU5.3	25000 h	25000 h
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	GU5.3	25000 h	25000 h	929001342004	7MR16 ExpertColor F25 927 D 10/1	GU5.3	40000 h	40000 h
929001245403	AmbientLED PAR16 7W 35D 830 D	E26	25000 h	25000 h	929001342104	7MR16 ExpertColor F25 930 D 10/1	GU5.3	40000 h	40000 h
929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	GU10	25000 h	25000 h	929001342204	7MR16 ExpertColor F25 940 D 10/1	GU5.3	40000 h	40000 h
929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	GU10	25000 h	25000 h	929001342304	7MR16 ExpertColor F35 927 D 10/1	GU5.3	40000 h	40000 h
929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	GU10	25000 h	25000 h	929001342404	7MR16 ExpertColor F35 930 D 10/1	GU5.3	40000 h	40000 h
929001341804	7MR16 ExpertColor S10 930 D 10/1	GU5.3	40000 h	40000 h	929001342504	7MR16 ExpertColor F35 940 D 10/1	GU5.3	40000 h	40000 h
929001341904	7MR16 ExpertColor S10 940 D 10/1	GU5.3	40000 h	40000 h	929001342704	7MR16 ExpertColor Retail F25 930 10/1	GU5.3	40000 h	40000 h
929001342604	7MR16 ExpertColor Retail S10 930 10/1	GU5.3	40000 h	40000 h	929001342804	7MR16 ExpertColor Retail F35 930 10/1	GU5.3	40000 h	40000 h
929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	GU5.3	25000 h	25000 h	929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	GU5.3	25000 h	25000 h	929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	GU5.3	25000 h	25000 h	929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	GU5.3	25000 h	25000 h	929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001872504	7.8MR16/PER/927/S10/Dim/EC /12V 10/1FB	GU5.3	25000 h	25000 h	929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001872604	7.8MR16/PER/930/S10/Dim/E C/12V 10/1FB	GU5.3	25000 h	25000 h	929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001872704	7.8MR16/PER/940/S10/Dim/E C/12V 10/1FB	GU5.3	25000 h	25000 h	929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001872804	7.8MR16/PER/927/F25/Dim/EC /12V 10/1FB	GU5.3	25000 h	25000 h	929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001872904	7.8MR16/PER/930/F25/Dim/E C/12V 10/1FB	GU5.3	25000 h	25000 h	929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001873004	7.8MR16/PER/940/F25/Dim/E C/12V 10/1FB	GU5.3	25000 h	25000 h	929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	GU5.3	25000 h	25000 h
929001873104	7.8MR16/PER/927/F35/Dim/EC /12V 10/1FB	GU5.3	25000 h	25000 h	929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	E26	15000 h	15000 h
929001873204	7.8MR16/PER/930/F35/Dim/E C/12V 10/1FB	GU5.3	25000 h	25000 h					

Light Technical (1/2)

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color		Color Rendering		Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
			Color Code	Temperature (Nom)	Index (Nom)	Light Distribution		
929001127804	6.5MR16/F25/2700-2200 DIM 12V	25 °	822-827	2200-2700 K	80	Medium beam 25°	410 lm	410 lm

MR16/GU10/PAR16

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color		Color Rendering		Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
			Color Code	Temperature (Nom)	Index (Nom)	Light Distribution		
929001127904	6.5MR16/F35/2700-2200 DIM 12V	35 °	822-827	2200-2700 K	80	Medium beam 35°	410 lm	410 lm
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	25 °	830	3000 K	80	Medium beam 25°	660 lm	660 lm
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	35 °	827	2700 K	80	Medium beam 35°	635 lm	635 lm
929001151834	6.4MR16/F25/3000 DIM 12V	25 °	830	3000 K	80	Medium beam 24°	450 lm	450 lm
929001152234	6.4MR16/F35/3000 DIM 12V	35 °	830	3000 K	80	Medium beam 36°	450 lm	450 lm
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	15 °	827	2700 K	80	Narrow beam 15°	500 lm	-
929001152734	7MR16/LED/S15/840/DIM AF2 10/1	15 °	940	4000 K	90	Narrow beam 15°	530 lm	-
929001152834	7MR16/LED/F25/827/DIM AF2 10/1	25 °	827	2700 K	80	Medium beam 25°	500 lm	500 lm
929001152934	7MR16/LED/F25/830/DIM AF2 10/1	25 °	930	3000 K	90	Medium beam 25°	500 lm	500 lm
929001153034	7MR16/LED/F25/840/DIM AF2 10/1	25 °	940	4000 K	90	Medium beam 25°	530 lm	530 lm
929001153134	7MR16/LED/F35/827/DIM AF2 10/1	35 °	827	2700 K	80	Medium beam 36°	500 lm	500 lm
929001153234	7MR16/LED/F35/830/DIM AF2 10/1	35 °	930	3000 K	90	Medium beam 35°	500 lm	500 lm
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	35 °	940	4000 K	90	Medium beam 35°	530 lm	530 lm
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	35 °	830	3000 K	80	-	500 lm	500 lm
929001245403	AmbientLED PAR16 7W 35D 830 D	35 °	830	3000 K	80	-	500 lm	500 lm
929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	35 °	830	3000 K	80	-	400 lm	400 lm
929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	35 °	927-922	2700-2200 K	90	-	380 lm	380 lm
929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	35 °	930	3000 K	90	-	380 lm	380 lm
929001341804	7MR16 ExpertColor S10 930 D 10/1	10 °	930	3000 K	95	-	460 lm	460 lm
929001341904	7MR16 ExpertColor S10 940 D 10/1	10 °	940	4000 K	95	-	460 lm	460 lm
929001342604	7MR16 ExpertColor Retail S10 930 10/1	10 °	930	3000 K	90	-	430 lm	430 lm
929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	25 °	927	2700 K	91	-	485 lm	485 lm
929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	25 °	930	3000 K	91	-	485 lm	485 lm
929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	35 °	927	2700 K	91	-	485 lm	485 lm
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	35 °	930	3000 K	91	-	485 lm	485 lm
929001872504	7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	10 °	927	2700 K	95	-	480 lm	480 lm
929001872604	7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	10 °	930	3000 K	95	-	480 lm	480 lm
929001872704	7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	10 °	940	4000 K	95	-	540 lm	540 lm
929001872804	7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	25 °	927	2700 K	95	-	480 lm	480 lm

MR16/GU10/PAR16

Order Code	Full Product Name	Beam Angle (Nom)	Correlated Color		Color Rendering		Luminous Flux (Nom)	Luminous Flux (Rated) (Nom)
			Color Code	Temperature (Nom)	Index (Nom)	Light Distribution		
929001872904	7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	25 °	930	3000 K	95	-	480 lm	480 lm
929001873004	7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	25 °	940	4000 K	95	-	540 lm	540 lm
929001873104	7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	35 °	927	2700 K	95	-	480 lm	480 lm
929001873204	7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	35 °	930	3000 K	95	-	480 lm	480 lm
929001873304	7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	35 °	940	4000 K	95	-	540 lm	540 lm
929001342004	7MR16 ExpertColor F25 927 D 10/1	25 °	927	2700 K	95	-	430 lm	430 lm
929001342104	7MR16 ExpertColor F25 930 D 10/1	25 °	930	3000 K	95	-	460 lm	460 lm
929001342204	7MR16 ExpertColor F25 940 D 10/1	25 °	940	4000 K	95	-	460 lm	460 lm
929001342304	7MR16 ExpertColor F35 927 D 10/1	35 °	927	2700 K	95	-	430 lm	430 lm
929001342404	7MR16 ExpertColor F35 930 D 10/1	35 °	930	3000 K	95	-	460 lm	460 lm
929001342504	7MR16 ExpertColor F35 940 D 10/1	35 °	940	4000 K	95	-	460 lm	460 lm
929001342704	7MR16 ExpertColor Retail F25 930 10/1	25 °	930	3000 K	90	-	430 lm	430 lm
929001342804	7MR16 ExpertColor Retail F35 930 10/1	35 °	930	3000 K	90	-	430 lm	430 lm
929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	25 °	827	2700 K	80	-	515 lm	515 lm
929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	25 °	830	3000 K	80	-	515 lm	515 lm
929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	35 °	827	2700 K	80	-	515 lm	515 lm
929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	35 °	830	3000 K	80	-	515 lm	515 lm
929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	35 °	827	2700 K	80	-	600 lm	600 lm
929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	35 °	830	3000 K	80	-	620 lm	620 lm
929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	35 °	840	4000 K	80	-	660 lm	660 lm
929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	25 °	827	2700 K	80	-	600 lm	600 lm
929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	25 °	830	3000 K	80	-	620 lm	620 lm
929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	25 °	840	4000 K	80	-	660 lm	660 lm
929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	25 °	830	3000 K	80	-	600 lm	600 lm

Light Technical (2/2)

Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle	Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle
929001127804	6.5MR16/F25/2700-2200 DIM 12V	1800 cd	25 °	929001245403	AmbientLED PAR16 7W 35D 830 D	1000 cd	35 °
929001127904	6.5MR16/F35/2700-2200 DIM 12V	900 cd	35 °	929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	750 cd	35 °
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	3250 cd	25 °	929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	600 cd	35 °
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	1650 cd	35 °	929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	600 cd	35 °
929001151834	6.4MR16/F25/3000 DIM 12V	1800 cd	25 °	929001341804	7MR16 ExpertColor S10 930 D 10/1	5000 cd	10 °
929001152234	6.4MR16/F35/3000 DIM 12V	1000 cd	35 °	929001341904	7MR16 ExpertColor S10 940 D 10/1	5000 cd	10 °
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	2800 cd	15 °	929001342604	7MR16 ExpertColor Retail S10 930 10/1	4600 cd	10 °
929001152734	7MR16/LED/S15/840/DIM AF2 10/1	3050 cd	15 °	929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	1960 cd	25 °
929001152834	7MR16/LED/F25/827/DIM AF2 10/1	2400 cd	25 °	929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	1960 cd	25 °
929001152934	7MR16/LED/F25/830/DIM AF2 10/1	2500 cd	25 °	929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	1110 cd	35 °
929001153034	7MR16/LED/F25/840/DIM AF2 10/1	2600 cd	25 °				
929001153134	7MR16/LED/F35/827/DIM AF2 10/1	1320 cd	35 °				
929001153234	7MR16/LED/F35/830/DIM AF2 10/1	1350 cd	35 °				
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	1400 cd	35 °				
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	1350 cd	35 °				

MR16/GU10/PAR16

Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	1110 cd	35 °
929001872504	7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	5300 cd	10 °
929001872604	7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	5300 cd	10 °
929001872704	7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	5900 cd	10 °
929001872804	7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	2330 cd	25 °
929001872904	7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	2330 cd	25 °
929001873004	7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	2600 cd	25 °
929001873104	7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	1320 cd	35 °
929001873204	7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	1320 cd	35 °
929001873304	7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	1450 cd	35 °
929001342004	7MR16 ExpertColor F25 927 D 10/1	2200 cd	25 °
929001342104	7MR16 ExpertColor F25 930 D 10/1	2350 cd	25 °
929001342204	7MR16 ExpertColor F25 940 D 10/1	2350 cd	25 °
929001342304	7MR16 ExpertColor F35 927 D 10/1	1300 cd	35 °
929001342404	7MR16 ExpertColor F35 930 D 10/1	1400 cd	35 °
929001342504	7MR16 ExpertColor F35 940 D 10/1	1400 cd	35 °

Order Code	Full Product Name	Luminous Intensity (Nom)	Rated Beam Angle
929001342704	7MR16 ExpertColor Retail F25 930 10/1	2200 cd	25 °
929001342804	7MR16 ExpertColor Retail F35 930 10/1	1300 cd	35 °
929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	2400 cd	25 °
929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	2500 cd	25 °
929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	1350 cd	35 °
929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	1350 cd	35 °
929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	1700 cd	35 °
929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	1700 cd	35 °
929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	1800 cd	35 °
929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	3100 cd	25 °
929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	3250 cd	25 °
929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	3350 cd	25 °
929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	1500 cd	25 °

Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
929001127804	6.5MR16/F25/2700-2200 DIM 12V	MR16
929001127904	6.5MR16/F35/2700-2200 DIM 12V	MR16
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	MR16
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	MR16
929001151834	6.4MR16/F25/3000 DIM 12V	MR16
929001152234	6.4MR16/F35/3000 DIM 12V	MR16
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	MR16
929001152734	7MR16/LED/S15/840/DIM AF2 10/1	MR16
929001152834	7MR16/LED/F25/827/DIM AF2 10/1	MR16
929001152934	7MR16/LED/F25/830/DIM AF2 10/1	MR16
929001153034	7MR16/LED/F25/840/DIM AF2 10/1	MR16
929001153134	7MR16/LED/F35/827/DIM AF2 10/1	MR16
929001153234	7MR16/LED/F35/830/DIM AF2 10/1	MR16
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	MR16
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	MR16
929001245403	AmbientLED PAR16 7W 35D 830 D	PAR16
929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	PAR16
929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	MR16
929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	MR16
929001341804	7MR16 ExpertColor S10 930 D 10/1	MR16
929001341904	7MR16 ExpertColor S10 940 D 10/1	MR16

Order Code	Full Product Name	Bulb Shape
929001342604	7MR16 ExpertColor Retail S10 930 10/1	MR16
929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	MR16
929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	MR16
929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	MR16
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	MR16
929001872504	7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	MR16
929001872604	7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	MR16
929001872704	7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	MR16
929001872804	7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	MR16
929001872904	7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	MR16
929001873004	7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	MR16
929001873104	7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	MR16
929001873204	7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	MR16
929001873304	7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	MR16
929001342004	7MR16 ExpertColor F25 927 D 10/1	MR16
929001342104	7MR16 ExpertColor F25 930 D 10/1	MR16
929001342204	7MR16 ExpertColor F25 940 D 10/1	MR16
929001342304	7MR16 ExpertColor F35 927 D 10/1	MR16
929001342404	7MR16 ExpertColor F35 930 D 10/1	MR16
929001342504	7MR16 ExpertColor F35 940 D 10/1	MR16
929001342704	7MR16 ExpertColor Retail F25 930 10/1	MR16

MR16/GU10/PAR16




Order Code	Full Product Name	Bulb Shape
929001342804	7MR16 ExpertColor Retail F35 930 10/1	MR16
929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	MR16
929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	MR16
929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	MR16
929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	MR16
929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	MR16













Order Code	Full Product Name	Bulb Shape
929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	MR16
929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	MR16
929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	MR16
929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	MR16
929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	MR16
929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	PAR16

Temperature











Order Code	Full Product Name	T-Case Maximum (Nom)
929001127804	6.5MR16/F25/2700-2200 DIM 12V	-
929001127904	6.5MR16/F35/2700-2200 DIM 12V	-
929001149904	8.5MRX16/F25 3000 DIM AF 10/1	105 °C
929001150104	8.5MRX16/F35 2700 DIM AF 10/1	105 °C
929001151834	6.4MR16/F25/3000 DIM 12V	100 °C
929001152234	6.4MR16/F35/3000 DIM 12V	100 °C
929001152534	7MR16/LED/S15/827/DIM AF2 10/1	92 °C
929001152734	7MR16/LED/S15/840/DIM AF2 10/1	92 °C
929001152834	7MR16/LED/F25/827/DIM AF2 10/1	92 °C
929001152934	7MR16/LED/F25/830/DIM AF2 10/1	92 °C
929001153034	7MR16/LED/F25/840/DIM AF2 10/1	92 °C
929001153134	7MR16/LED/F35/827/DIM AF2 10/1	92 °C
929001153234	7MR16/LED/F35/830/DIM AF2 10/1	92 °C
929001153334	7MR16/LED/F35/840/DIM AF2 10/1	92 °C
929001208003	BC7MR16/AMB/F35/3000 DIM 12V	102 °C
929001245403	AmbientLED PAR16 7W 35D 830 D	85 °C
929001300604	4.5GU10/LEDCLA/F35/830/DIM 10/1	80 °C
929002055304	4GU10/LED/927-22/F35/G/WG/T20 10/1	65 °C
929002055504	4GU10/LED/930/F35/DIM/G/120V T20 10/1	65 °C
929001341804	7MR16 ExpertColor S10 930 D 10/1	92 °C
929001341904	7MR16 ExpertColor S10 940 D 10/1	92 °C
929001342604	7MR16 ExpertColor Retail S10 930 10/1	90 °C
929001854304	6.5MR16/LED/F25/927/D/EC/12V T20 10/1FB	92 °C
929001854404	6.5MR16/LED/F25/930/D/EC/12V T20 10/1FB	92 °C
929001854504	6.5MR16/LED/F35/927/D/EC/12V T20 10/1FB	92 °C
929001854604	6.5MR16/LED/F35/930/D/EC/12V T20 10/1FB	92 °C
929001872504	7.8MR16/PER/927/S10/Dim/EC/12V 10/1FB	105 °C
929001872604	7.8MR16/PER/930/S10/Dim/EC/12V 10/1FB	105 °C
929001872704	7.8MR16/PER/940/S10/Dim/EC/12V 10/1FB	105 °C
929001872804	7.8MR16/PER/927/F25/Dim/EC/12V 10/1FB	105 °C
929001872904	7.8MR16/PER/930/F25/Dim/EC/12V 10/1FB	105 °C
929001873004	7.8MR16/PER/940/F25/Dim/EC/12V 10/1FB	105 °C
929001873104	7.8MR16/PER/927/F35/Dim/EC/12V 10/1FB	105 °C
929001873204	7.8MR16/PER/930/F35/Dim/EC/12V 10/1FB	105 °C
929001873304	7.8MR16/PER/940/F35/Dim/EC/12V 10/1FB	105 °C
929001342004	7MR16 ExpertColor F25 927 D 10/1	92 °C
929001342104	7MR16 ExpertColor F25 930 D 10/1	92 °C
929001342204	7MR16 ExpertColor F25 940 D 10/1	92 °C
929001342304	7MR16 ExpertColor F35 927 D 10/1	92 °C
929001342404	7MR16 ExpertColor F35 930 D 10/1	92 °C
929001342504	7MR16 ExpertColor F35 940 D 10/1	92 °C

Order Code	Full Product Name	T-Case Maximum (Nom)
929001342704	7MR16 ExpertColor Retail F25 930 10/1	90 °C
929001342804	7MR16 ExpertColor Retail F35 930 10/1	90 °C
929001880704	7.3MR16/LED/827/F25/DIM 12V 10/1FB	90 °C
929001880804	7.3MR16/LED/830/F25/DIM 12V 10/1FB	90 °C
929001881004	7.3MR16/LED/827/F35/DIM 12V 10/1FB	90 °C
929001881104	7.3MR16/LED/830/F35/DIM 12V 10/1FB	90 °C
929001881604	8.5MR16/LED/827/F35/DIM 12V 10/1FB	100 °C
929001881704	8.5MR16/LED/830/F35/DIM 12V 10/1FB	100 °C
929001881804	8.5MR16/LED/840/F35/DIM 12V 10/1FB	100 °C
929001881304	8.5MR16/LED/827/F25/DIM 12V 10/1FB	100 °C
929001881404	8.5MR16/LED/830/F25/DIM 12V 10/1FB	100 °C
929001881504	8.5MR16/LED/840/F25/DIM 12V 10/1FB	100 °C
929001974004	8PAR16/LED/830/F25/DIM/G/120V 6/3FB	85 °C















MR16/GU10/PAR16










MR16/GU10/PAR16






— 0-180° — 90-270°




— 0-180° — 90-270°




Accent Diagrams




Accent Diagrams




LEDspot, PAR16 7-50W 3000K 500lm 35D




LEDspot 50W GU10 830 35D




LEDSpots MR16 7W 930 460lm 10D




LEDSpots MR16 7W 940 460lm 10D




LEDSpots MR16 7W 927 430lm 25D




LEDSpots MR16 7W 930 460lm 25D




LEDSpots MR16 7W 940 460lm 25D




LEDSpots MR16 7W 927 430lm 35D




LEDSpots MR16 7W 930 460lm 35D



LEDSpots MR16 7W 940 460lm 35D




LEDSpots MR16 7W 930 430lm 10D




LEDSpots MR16 7W 930 430lm 25D


Accent Diagrams




LEDSpots MR16 7W 930 430lm 35D



LEDspot 6.5W GU5.3 MR16 927 25D DIM



LEDspot 6.5W GU5.3 MR16 927 35D DIM




LEDspot 7.8W GU5.3 MR16 927 10D DIM




LEDspot 7.8W GU5.3 MR16 940 10D DIM




LEDspot 7.8W GU5.3 MR16 927 25D DIM




LEDspot 7.8W GU5.3 MR16 940 25D DIM




LEDspot 7.8W GU5.3 MR16 927 35D DIM




LEDspot 7.8W GU5.3 MR16 940 35D DIM



LEDspot 7.3W GU5.3 MR16 827 25D DIM




LEDspot 7.3W GU5.3 MR16 827 35D DIM




8-50W GU5-3 MR16 24D 827 2700K


Accent Diagrams




LEDspot MAS 8-50W GU5.3 MR16 840 24D DIM



8-50W GU5-3 MR16 36D 827 2700K




8-50W GU5-3 MR16 36D 840 4000K




PAR16 600lm 25D 3000K E26


Beam Diagrams




SDBE_LEDspotL_0108-Beam diagram




SDBE_LEDspotL_0109-Beam diagram




SDBE_LEDspotL_0117-Beam diagram



SDBE_LEDspotL_0147-Beam diagram




SDBE_LEDspotL_0127-Beam diagram




SDBE_LEDspotL_0130-Beam diagram


Beam Diagrams




LEDspot 7-35W MR16 GU5.3 2700K 500lm 15D




LEDspot 7-35W MR16 GU5.3 4000K 530lm 15D




LEDspot 7-50W MR16 GU5.3 2700K 420lm 24D




LEDspot 7-50W MR16 GU5.3 3000K 440lm 24D




LEDspot 7-35W MR16 GU5.3 4000K 460lm 24D




LEDspot 7-35W MR16 GU5.3 2700K 420lm 36D




LEDspot 7-35W MR16 GU5.3 3000K 440lm 36D




LEDspot 7-35W MR16 GU5.3 4000K 460lm 36D




LEDspot, PAR16 7-50W 3000K 500lm 35D



LEDspot 50W GU10 830 35D




LEDSpots MR16 7W 930 460lm 10D




LEDSpots MR16 7W 940 460lm 10D


Beam Diagrams




LEDSpots MR16 7W 927 430lm 25D




LEDSpots MR16 7W 930 460lm 25D




LEDSpots MR16 7W 940 460lm 25D




LEDSpots MR16 7W 927 430lm 35D




LEDSpots MR16 7W 930 460lm 35D




LEDSpots MR16 7W 940 460lm 35D




LEDSpots MR16 7W 930 430lm 10D




LEDSpots MR16 7W 930 430lm 25D




LEDSpots MR16 7W 930 430lm 35D



LEDspot 6.5W GU5.3 MR16 927 25D DIM




LEDspot 6.5W GU5.3 MR16 927 35D DIM




LEDspot 7.8W GU5.3 MR16 927 10D DIM


Beam Diagrams




LEDspot 7.8W GU5.3 MR16 940 10D DIM




LEDspot 7.8W GU5.3 MR16 927 25D DIM




LEDspot 7.8W GU5.3 MR16 940 25D DIM




LEDspot 7.8W GU5.3 MR16 927 35D DIM




LEDspot 7.8W GU5.3 MR16 940 35D DIM




LEDspot 7.3W GU5.3 MR16 827 25D DIM




LEDspot 7.3W GU5.3 MR16 827 35D DIM




8-50W GU5-3 MR16 24D 827 2700K




LEDspot MAS 8-50W GU5.3 MR16 840 24D DIM



8-50W GU5-3 MR16 36D 827 2700K



8-50W GU5-3 MR16 36D 840 4000K



PAR16 600lm 25D 3000K E26

