

# PRODUCT DATASHEET

## BULLET FLOOD S030 UNH D 8 SC2 BZ

BULLET FLOOD DUAL SELECTABLE | Bullet floodlight with selectable CCTs, wattages, and adjustable beam angles



---

### Areas of application

- Landscape lighting
- Billboard and signage lighting
- Flagpole illumination
- Residential patios or yards
- Accent lighting

---

### Product features

- FLEX OPTICS: 15, 25, or 40° beam angle lenses included in the box
- Selectable CCT: 3000/4000/5000K
- Selectable wattage and lumens: 10/20/30W | 1400/2800/4200lm
- Up to 140 LPW
- IP66 and IK08
- DLC Premium Listing assures high energy efficiency
- Product is qualified for utility rebates

## TECHNICAL DATA

### Additional product data

Ordering Abbreviation	BULLTFL2A/S030UNHD8SC2/BZ
Abbrev. With Packaging Info.	BULLTFL2AS030UNHD8SC2BZ 4/CS 1/SKU
UPC Code	0046135631948
NAED	63194
Family Brand Name	PERFORMANCE CLASS™
General Description	BULLET FLOOD 2A, SELECTABLE 10.5W/20W/30W, 120-347V, 0-10V DIM, CCT SELECTABLE 3000K/4000K/5000K, BRONZE
Warranty	5 years

### Electrical data

Nominal Wattage	30.00/20.00/10.50 W
Nominal voltage	120.00...347.00 V
Power factor	≥ 0.90
Total Harmonic Distortion	< 20 %

### Photometrical data

Lumens	4200/2800/1400 lm
Efficacy	140 lm/W
Color Temperature/CCT	3000/4000/5000 K
Color Rendering Index (CRI)	80
Luminaire Type	Flood light

### Dimensions & Weight

Diameter	6.1 in
Length	6.6 in
Product weight	5 lb

### Materials & Colors

Luminaire Finish	Bronze
Housing color	Bronze
Housing	Aluminum
Mercury content	0.0 mg

### Application & Mounting

Ambient temperature range	-40...+40 °C
Maximum Operating Temperature	104 °F
Minimum Operating Temperature	-40 °F
Dimming	Yes

Type of Dimming	0-10V
Mounting	Surface
Indoor/Outdoor	Outdoor
Replaceable light source	No
Primary Lamp Type	SMD





**Lifespan**


Average Rated Life (hr)	100000
-------------------------	--------

**Certificates & Standards**

Certification Listing	RoHS / FCC / cULus
Replaceable light source (EPREL)	Not replaceable

**Accessories Optional**



Product image	Product name	UPC
	BULLET FLOOD 2A LARGE VISOR BL	0046135632259
	BULLET FLOOD 2A LARGE VISOR GR	0046135632266
	BULLET FLOOD 2A LARGE VISOR BZ	0046135606878
	TENON ADAPTER 1A BL	0046135611698
	TENON ADAPTER 1A GR	0046135611704
	TENON ADAPTER 1A BZ	0046135606885

Product image	Product name	UPC
	GARDEN STAKE 1A	0046135606892


## EQUIPMENT / ACCESSORIES

– ½" IPS knuckle

## DOWNLOAD DATA

Spec Sheets and Product Documents		Document name
	Extended installation guide	INSTALLATION GUIDE BULLET FLOODLIGHT
	Product Family Spec Sheet	DUAL SELECTABLE BULLET FLOOD

Photometric and lighting design files		Document name
	IES file (IES)	BULLET FLOOD 2A IES

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.