

GFT36DL/2G11/SE/OF



Product features and benefits

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free

Areas of application

- Air
- Water Purification
- Surface Sterilization

Product datasheet

Technical data

General product information

Product Number	23392
Product Name	GFT36DL2G11SEOF 10/CS 1/SKU
Ordering Abbreviation	GFT36DL/2G11/SE/OF
Brand Name	OSRAM
General Description	Soft Glass Germicidal Lamp, 36 watts.
Application	Air and water purification, surface disinfection
Product Remark	<ul style="list-style-type: none">- The life ratings of fluorescent lamps are based on 3 hr. burning cycles under specified conditions and with ballast meeting ANSI specifications. If burning cycle is increased, there will be a corresponding increase in the average hours life.- Germicidal lamps can be operated on corresponding wattage preheat ballasts.- Starter required.

Electrical data

Nominal Wattage	36 W
Nominal Voltage	106 V
Current (A)	0.44 A

Light technical data

Average Rated Life	8000 h
--------------------	--------

Physical attributes

Base	2G11
Bulb Shape	S (T4)
Maximum Overall Length (mm)	226.3 mm
Length l (mm)	408 mm
Diameter d (mm)	40 mm
Distance a (mm)	385 mm

Additional product data

Operating Position	Any
--------------------	-----

Product datasheet

Safety advice

To prevent possible serious injury, eyes and skin should not be exposed to direct or reflected ultraviolet light emitted by this lamp. This lamp is in Risk Group 3 per ANSI/IESNARP-27.3-96. Adequate protection should be provided by clothing, gloves, opaque materials, and ordinary window glass. Although this lamp will operate in standard fluorescent fixtures, it should not be used for general lighting applications.

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
23392	4008321515773	Folding box (SKU)	1	1.8 in x 1 in x 17.4 in	0.3 lb
23392	10046135233927	Shipping box (Case)	10	5.4 in x 4.1 in x 17.9 in	3.4 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.