

ULTRA LED™ CL Lamp

Medium Base Retrofit for Ceiling Light Fixtures



Key Features & Benefits

- Lumen package: 1200 lumens @ 15 watts
- Pull chain feature for ease of control
- Replacement for up to 100W incandescent
- CCT: 2700K & 4000K
- CRI of 82
- Reduces energy consumption up to 86%
- 50,000 hours life (L₇₀)
- Suitable for damp and dry locations
- Save up to \$467 over the life of the fixture and last 25X longer
- 5 year warranty
- Easy installation
- ENERGY STAR approved LED fixture suitable for installation in any keyless light socket

The 7-inch ULTRA LED CL Lamp easily screws into most existing plastic and porcelain lamp holders without any wiring required. Also installs in junction boxes for new construction applications. The ULTRA LED Ceiling light easily upgrades the existing lamp holder to an LED fixture in less than 15 seconds.

Product Offering

Ordering Abbreviation	Wattage	Color Temperature	CRI
LED/1200/CL/8xx	15	2700K, 4000K	82

Application Information

Applications

- Indoor
- Closets
- Basements
- Stairway
- Garages
- Porches

Application Notes

1. Should not be directly exposed to water/humidity.
2. For detailed warranty information, please see www.sylvania.com/warranty.
3. Not intended for use in dimming applications.
4. Not intended for use in applications with existing pull chains.

Specifications and Certifications



Specification Data

Catalog #	Type
Project	
Comments	
Prepared by	

Specifications

Energy Data

Minimum Starting Temp: -20°F

EMI/RFI: FCC Title 47 CFR, Part 15, Class B

Sound Rating: <24dBA

Input Voltage: 120V

Power Factor: >0.90

Input Frequency: 60Hz

Input Power: 15W

Maximum Ambient Operating Temperature: 130°F

Lighting Data

Lumen Output: 1200

Lumens per Watt: 80

Color

Correlated Color Temperature (CCT): 2700K, 4000K

Color Rendering Index (CRI): 82

R9: 15

Product Weight: 2.3 lbs.

Ordering Information

Item Number	Ordering Abbreviation	Nominal Wattage (W)	Lamp Base	Delivered Light Output (lm)	Color Temperature	CRI	Avg. Rated Life (hrs.)*
75112	LED/1200/CL/827/RP	15	Medium (E26)	1200	2700K	82	50,000
75113	LED/1200/CL/840/RP	15	Medium (E26)	1200	4000K	82	50,000

* LED lamp life is defined as the number of hours when 50% of an average group of identical lamps reached 70% of its initial lumens.


Ordering Guide

LED	/	700	/	CL	/	8	40
LED		Light Output 700lm		Product Name Ceiling Light		CRI >80	Color Temperature 4000K

Energy Savings

Product Description	LED Lumens	LED Life	Traditional Lamp Type	Lumens	Life	Watts Saved	Energy Savings	Life Benefit
LED/CL/1200	1200	50,000	100W Incandescent	1200	2000	56	\$308.00	25x

Dimensions



OSRAM SYLVANIA Inc.
200 Ballardvale Street
Wilmington, MA 01887 USA
Phone 1-800-LIGHTBULB (1-800-544-4828)
www.sylvania.com

OSRAM and SYLVANIA are registered trademarks.
All other trademarks are those of their respective owners.
Specifications subject to change without notice.

 /sylvania  /sylvania

© 2016 OSRAM SYLVANIA

