



PAR38 HO 19.5W DIM. 277V




- 250W halogen replacement
- 2700K / 3000K / 3500K / 4000K CCT
- Narrow Flood / Flood beam angles




PAR38 HO 30W DIM.277V




- LED binned within 2 SDCM
- Flicker Free driver design
- Dims to black with most forward and reverse phase controls




PAR56 40W DIM.




- Compatible with PAR64 Adapter Ring
- 300W halogen replacement
- 2700K / 3000K CCT
- Spot / Narrow Flood / Flood beam angles



PAR56 50W DIM.



- Compatible with PAR64 Adapter Ring
- 500W halogen replacement
- 3000K CCT
- Narrow Flood / Flood beam angles



PAR64 Adapter Ring



Product	Model	Equiv.	Wattage (w)	CCT	Lumens	Efficacy (LPW)	Input Voltage	Beam Angle	CBCP (cd)	CRI	Dim.*	Power Factor	Base	Fixture Rating	TRUE CHROMA	ES / JA8 / T20
34890	6.5PAR20DIM/927SP15	50W	6.5	2700K	520	80	120V	15°	5,000	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34891	6.5PAR20DIM/927NF25	50W	6.5	2700K	560	86	120V	25°	1,800	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34892	6.5PAR20DIM/927FL40	50W	6.5	2700K	560	86	120V	40°	1,100	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34893	6.5PAR20DIM/930SP15	50W	6.5	3000K	550	85	120V	15°	5,300	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34894	6.5PAR20DIM/930NF25	50W	6.5	3000K	580	89	120V	25°	1,900	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34895	6.5PAR20DIM/930FL40	50W	6.5	3000K	580	89	120V	40°	1,200	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34896	6.5PAR20DIM/940FL40	50W	6.5	4000K	600	92	120V	40°	1,300	95	Yes	0.9	E26	Enclosed	No	✓/✓/✓
34897	6.5PAR20DIM/930FL40/B	50W	6.5	3000K	580	89	120V	40°	1,200	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34898	11PAR30DIM/927SP15	75W	11	2700K	950	86	120V	15°	10,000	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34899	11PAR30DIM/927NF25	75W	11	2700K	950	86	120V	25°	4,500	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34900	11PAR30DIM/927FL40	75W	11	2700K	950	86	120V	40°	1,700	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34901	11PAR30DIM/930SP15	75W	11	3000K	990	90	120V	15°	10,600	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34902	11PAR30DIM/930NF25	75W	11	3000K	990	90	120V	25°	4,700	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34903	11PAR30DIM/930FL40	75W	11	3000K	990	90	120V	40°	1,750	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34904	11PAR30DIM/940FL40	75W	11	4000K	1,030	94	120V	40°	1,850	95	Yes	0.9	E26	Enclosed	No	✓/✓/✓
34905	11PAR30DIM/930FL40/B	75W	11	3000K	990	90	120V	40°	1,750	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34906	11PAR30SNDIM/927SP15	75W	11	2700K	950	86	120V	15°	10,000	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34907	11PAR30SNDIM/927NF25	75W	11	2700K	950	86	120V	25°	4,500	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34908	11PAR30SNDIM/927FL40	75W	11	2700K	950	86	120V	40°	1,700	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34909	11PAR30SNDIM/930SP15	75W	11	3000K	990	90	120V	15°	10,600	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34910	11PAR30SNDIM/930NF25	75W	11	3000K	990	90	120V	25°	4,700	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
35939	11PAR30SNDIM/930NF25/B	75W	11	3000K	990	90	120V	25°	4,700	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34911	11PAR30SNDIM/930FL40	75W	11	3000K	990	90	120V	40°	1,750	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34912	11PAR30SNDIM/940FL40	75W	11	4000K	1,030	94	120V	40°	1,850	95	Yes	0.9	E26	Enclosed	No	✓/✓/✓
34913	11PAR30SNDIM/930FL40/B	75W	11	3000K	990	90	120V	40°	1,750	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34916	15.5PAR38DIM/927SP15	120W	15.5	2700K	1,320	85	120V	15°	14,000	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34917	15.5PAR38DIM/927NF25	120W	15.5	2700K	1,320	85	120V	25°	6,750	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34918	15.5PAR38DIM/927FL40	120W	15.5	2700K	1,320	85	120V	40°	2,800	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34919	15.5PAR38DIM/930SP15	120W	15.5	3000K	1,370	88	120V	15°	14,700	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34920	15.5PAR38DIM/930NF25	120W	15.5	3000K	1,370	88	120V	25°	7,000	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34921	15.5PAR38DIM/930FL40	120W	15.5	3000K	1,370	88	120V	40°	2,900	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34922	15.5PAR38DIM/940FL40	120W	15.5	4000K	1,420	92	120V	40°	3,000	95	Yes	0.9	E26	Enclosed	No	✓/✓/✓
34923	15.5PAR38DIM/930NF25/B	120W	15.5	3000K	1,370	88	120V	25°	7,000	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34924	15.5PAR38DIM/930FL40/B	120W	15.5	3000K	1,370	88	120V	40°	2,900	95	Yes	0.9	E26	Enclosed	✓	✓/✓/✓
34925	15.5PAR38DIM/930FL40/GU24	120W	15.5	3000K	1,370	88	120V	40°	2,900	95	Yes	0.9	GU24	Enclosed	✓	✓/✓/✓
34914	11PAR30/930FL40/277V	75W	11	3000K	990	90	120-277V	40°	1,750	95	No	0.9	E26	Enclosed	✓	✓/ N.A. / ✓
34915	11PAR30/940FL40/277V	75W	11	4000K	1,030	94	120-277V	40°	1,850	95	No	0.9	E26	Enclosed	No	✓/ N.A. / ✓
34926	15.5PAR38/930FL40/277V	120W	15.5	3000K	1,370	88	120-277V	40°	2,900	95	No	0.9	E26	Enclosed	✓	✓/ N.A. / ✓
34927	15.5PAR38/940FL40/277V	120W	15.5	4000K	1,420	92	120-277V	40°	3,000	95	No	0.9	E26	Enclosed	No	✓/ N.A. / ✓
36537	19.5PAR38HODIM/930NF25/277V/R	250W	19.5	3000K	2,000	103	120-277V	25°	8,200	93	Yes	0.9	E26	Non-Enclosed	No	✓/✓/✓
36538	19.5PAR38HODIM/930FL40/277V/R	250W	19.5	3000K	2,000	103	120-277V	40°	3,500	93	Yes	0.9	E26	Non-Enclosed	No	✓/✓/✓
36539	19.5PAR38HODIM/935NF25/277V/R	250W	19.5	3500K	2,000	103	120-277V	25°	8,200	93	Yes	0.9	E26	Non-Enclosed	No	✓/✓/✓
36540	19.5PAR38HODIM/935FL40/277V/R	250W	19.5	3500K	2,000	103	120-277V	40°	3,500	93	Yes	0.9	E26	Non-Enclosed	No	✓/✓/✓
36541	19.5PAR38HODIM/940NF25/277V/R	250W	19.5	4000K	2,000	103	120-277V	25°	8,200	93	Yes	0.9	E26	Non-Enclosed	No	✓/✓/✓
36542	19.5PAR38HODIM/940FL40/277V/R	250W	19.5	4000K	2,000	103	120-277V	40°	3,500	93	Yes	0.9	E26	Non-Enclosed	No	✓/✓/✓
35526	30PAR38HODIM/927NF25/277V	250W	30	2700K	2,700	90	120-277V	25°	11,000	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35527	30PAR38HODIM/927FL40/277V	250W	30	2700K	2,700	90	120-277V	40°	4,550	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35528	30PAR38HODIM/930NF25/277V	250W	30	3000K	2,800	93	120-277V	25°	11,760	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35529	30PAR38HODIM/930FL40/277V	250W	30	3000K	2,800	93	120-277V	40°	5,040	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35530	30PAR38HODIM/935NF25/277V	250W	30	3500K	2,900	97	120-277V	25°	11,800	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35531	30PAR38HODIM/935FL40/277V	250W	30	3500K	2,900	97	120-277V	40°	4,890	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35532	30PAR38HODIM/940NF25/277V	250W	30	4000K	3,000	100	120-277V	25°	12,200	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35533	30PAR38HODIM/940FL40/277V	250W	30	4000K	3,000	100	120-277V	40°	5,055	92	Yes	0.9	E26	Non-Enclosed	No	✓/✓/ N.A.
35416	40PAR56DIM/927SP15	300W	40	2700K	3,800	95	120V	15°	33,300	92	Yes	0.9	GX16d	Enclosed	No	N.A.
35417	40PAR56DIM/927NF25	300W	40	2700K	3,800	95	120V	25°	14,700	92	Yes	0.9	GX16d	Enclosed	No	N.A.
35418	40PAR56DIM/927FL40	300W	40	2700K	3,800	95	120V	40°	7,100	92	Yes	0.9	GX16d	Enclosed	No	N.A.
35419	40PAR56DIM/930SP15	300W	40	3000K	4,000	100	120V	15°	34,000	92	Yes	0.9	GX16d	Enclosed	No	N.A.
35420	40PAR56DIM/930NF25	300W	40	3000K	4,000	100	120V	25°	15,000	92	Yes	0.9	GX16d	Enclosed	No	N.A.
35421	40PAR56DIM/930FL40	300W	40	3000K	4,000	100	120V	40°	7,200	92	Yes	0.9	GX16d	Enclosed	No	N.A.
36740	50PAR56DIM/930NF25	500W	50	3000K	5,000	100	120V	25°	19,000	92	Yes	0.9	GX16d	Non-Enclosed	No	N.A.
36741	50PAR56DIM/930FL40	500W	50	3000K	5,000	100	120V	40°	9,000	92	Yes	0.9	GX16d	Non-Enclosed	No	N.A.
36742	PAR56/ACC/RG													PAR64 Adapter Ring		

* This lamp might not be compatible with all dimmers. Please visit [www](http://www.greencreative.com)