



Product features and benefits

- Ceramic housings designed specifically for high temperature applications
- High quality contact materials for optimal mechanical and electrical properties
- UL recognized and CE certified

Areas of application

- Specialty Lampholders and Sockets
- Metal Halide Fixtures
- Halogen Instrumentation
- Halogen Equipment

Product datasheet

Technical data

General Product Information

Global order reference	TP22XL 36IN 16G
Product number (Americas)	69006
Product name (Americas)	TP22XL 36IN16GAULSF2 50/CS 10/SKU
Underwriters laboratories file no.	E31557
CSA file no.	LR20904

Electrical Data

Maximum wattage	1000 W
Maximum voltage	250 V

Physical Attributes & Dimensions

Length (mm)	54.8 mm
Body material	Ceramic Steatite Body / Die Cast Aluminum Housing
Contact material	Silver Plated Nickel
Lamp base reference	G9.5, 2-Pin Medium Base
Lead length (in)	36 in
Lead length (mm)	914 mm
Lead strip length (in)	0.375 in
Lead strip length (mm)	9 mm
Width (mm)	21.7 mm
Width (in)	0.85 in
Height (in)	1.25 in
Height (mm)	31.8 mm
Wire type	SF2
Wire color(s)	White
Wire gauge (AWG)	16 AWG
Product weight	68.40 g

Operating Conditions

Maximum operating temperature (°C)	200 C
------------------------------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4008321388735
Rohs compliant	Yes

Product datasheet

Date of declaration	16-08-2024
Declaration no. in SCIP database	In work
Candidate list substance 1	No declarable substances contained

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69006	4008321388735		10	10.1 in x 7.4 in x 2.4 in	2.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.